

2020 ACCESSORIES RANGE




CORNER GRAB BAR/FOOT REST


• For shower corner, anti-slip surface




DESIGNER GLASS WIPER


• Stainless steel construction





White: CGB350WH







Black: CGB350BL

CORNER GRAB BAR WITH BASKET

• For shower corner, anti-slip surface




White: CGBB350WH Black: CGBB350BL





HANGING SHOWER CADDY

• Double tier, with hook; removable plastic insert





HSC2TSSBL



HSC2TBL

CORNER SHOWER CADDY

• Concealed removable plastic insert






SS/White: CSCSINGLEWH SS/Black: CSCSINGLEBL



Black: BLKCSCSINGLE






MAGNETIC SHELVES

- Includes designer wiper blade
- Magnetic holder for wiper blade



SKU SSMAGNETICRND Magnetic Shelf Round



SKU SSMAGNETICSQ Magnetic Shelf Square

T-BAR WIPER

• With matte black hanger



SKU BLKTBARSET

GLASS SHELVES



GS2PACKCLEAR ROUND 2-PACK 1 x 250mm x 250mm 1 x 200mm x 200mm

GS2PACKCLEARBLK ROUND 2-PACK 1 x 250mm x 250mm

1x 200mm x 200mm

GSTRI300X200 TRIANGLE 1 x 300mm x 200mm



GS2PTRIANGLE300 TRIANGLE 2-PACK 2 x 300mm x 300mm



GS2PTRIANGLE300BLK TRIANGLE 2-PACK 2 x 300mm x 300mm



GSRECT450X100 RECTANGLE 1 x 450mm x 100mm



GSBRACKETS BRACKETS (PAIR)



GSRECT450X100BLK RECTANGLE 1 x 450mm x 100mm



GSBRACKETSBLK BRACKETS (PAIR)

BATH PILLOWS

- Suction cups
- Easy clean
- Flexible to fit contour of most baths



White: BTHPILLOWWH



Black: BTHPILLOWBL

WARRANTY INFORMATION

Warranty Periods

Warranty Exclusions

- The product must be installed according to the instructions supplied.
- The water supply temperature applied to the product must not exceed 55 degrees Celsius.
- Commercial applications are restricted to a 1 year warranty on all products.

Product Maintenance

 $Bathroom\ products\ are\ used\ often\ and\ the\ following\ is\ our\ suggestion\ on\ how\ to\ clean\ and\ care\ for\ them:$

Accessories should be cleaned using a soft damp cloth with non abrasive cleaner. No chemical spray
cleaners should be used.

