



Symphony Acrylic 2 Sided Angle Corner Shower Trays

Product Disclosure Information Self-Assessment

Version: Symphony 2 Sided Angle Corner Shower Trays v1

Product name	Symphony Acrylic 2 Sided Angle Corner Shower Trays
Product line	Symphony Acrylic 2 Sided Angle Corner Shower Trays are sold individually and as a component of Symphony Shower Cubicles
Product identifier	Component of all Symphony 2 sided Angle Corner Shower Cubicles, and sold individually under SKU's TFS9X9ANGCW and TFS1X1ANGCW

Product description

- Symphony 2 Sided Angle Corner Acrylic Shower Trays are a component of a complete Stellar Shower Cubicle, and sold individually under SKU code Prefix TFS.
- Symphony 2 Sided Angle Corner Acrylic Shower trays are manufactured from Sanitary grade solid Acrylic which is laminated and reinforced with Fibreglass. The Acrylic surface is easy to clean and features a Gloss Neutral white finish.
- For durability these trays feature integrated support feet, and are designed to be installed onto Solid flooring substrates such as Timber or Concrete.
- They also feature a 40mm high Upstand where wall linings meet the shower tray to prevent water leakage, and corner drains for water control.

Relevant building code clauses

Contributions to compliance

- B2.3.1(c) and B2.3.2: Symphony Shower Trays have a durability of at least 5 years when installed in accordance with installation instructions. Refer to the installation requirements for further information.
- E3.2(c) Symphony Shower Trays have been designed to inhibit Internal moisture to building elements when installed in accordance with installation instructions. Refer to the installation requirements for further information.
- E3.3.3, E3.3.4, E3.3.5, E.3.3.6 Symphony Shower Trays are made from non porous Sanitary Grade Acrylic which provides an impervious and easily cleaned surface.
- F2.3.1: Symphony Shower trays are safe when handled, and used in everyday showering.

Scope of use

- Symphony Shower Trays are designed for Domestic bathrooms.
- They are suitable for cold and hot water use (maximum temperature 55° C)
- Symphony Shower Trays are compatible with 90mm Shower Waste Outlets

Conditions of use

- The maximum water temperature is 55° Celcius
- This product is easy to clean and impervious to water
- Is compatible with 90mm Easy clean waste outlets which comply with AS/NZS3500 and AS2887. -
- Symphony Shower Trays are not intended for use in accessible facilities.

Supporting documentation

The following additional documentation supports the above statements:

Title (type)	Version	URL
Symphony Shower Tray and Wall installation Manual (Installation)		https://symphonyshowers.co.nz/installation-instructions/

Contact details

Manufacture location	Overseas	
Legal and trading name of manufacturer	Contact Fibre Systems Ltd	
Legal and trading name of importer	Fibre Systems Limited	
Importer address for service	77 Cryers Road Auckland 2013	
Importer website	www.symphonyshowers.co.nz	
Importer NZBN	9429038358470	
Importer email	sales@fibresystems.co.nz	
Importer phone number	09 274 7423	

Warnings and bans

Is the building product/building product line subject to warning or ban under section 26 of the Building Act 2004?

No

Appendix

BPIR Ready selections

Category: Other (custom)

Building code performance clauses

All relevant building code performance clauses listed in this document: