



Symphony 3 Panel Stacker Doors

Product Disclosure Information Self-Assessment

Version: Symphony 3 Panel Stacker Door Sets v1

Product name	Symphony 3 Panel Stacker Doors
Product line	Symphony 3 Panel Stacker Doors
Product identifier	Stellar 3 Panel Stacker Doors are sold as a component of Stellar Shower Cubicles, and as individual items as SKU Prefix D3

Product description

- Symphony 3 Panel Stacker shower door sets are manufactured from 6mm toughened safety glass which conforms to AS/NZS2208 standard.
- Symphony 3 Panel Stacker shower doors are made up of one fixed panel of glass and 2 sliding panels of glass.
- Symphony 3 Panel Stacker shower doors are available in both 2 sided (door and return) and Alcove (door only) configurations.
- Symphony 3 Panel Stacker shower door sets include components made from high quality corrosion resistant alloy.
- Symphony 3 Panel Stacker shower doors and components are designed to be easily cleaned, with silicone application required only in external areas of the shower.

Relevant building code clauses

Contributions to compliance

- B2.3.1(c) and B2.3.2: Symphony 3 Panel Stacker Shower Door sets have a durability of at least 5 years when installed in accordance with installation instructions. Refer to the installation requirements for further information.
- E3.2(c) Symphony 3 Panel Stacker Shower Door sets have been designed to inhibit Internal moisture to building elements when installed in accordance with installation instructions. Refer to the installation requirements for further information.
- E3.3.5, E3.3.6 Symphony 3 Panel Stacker door sets are constructed from water impervious material which can be easily cleaned and maintained, and are constructed to prevent water splash penetrating wall linings or concealed spaces.
- F2.3.1 Symphony 3 Panel Stacker door sets are safe when handled and used in everyday showering.
- F2.3.3 Symphony 3 Panel Stacker Door sets are manufactured from 6mm Toughened safety glass which

Scope of use

- Symphony 3 Panel Stacker Shower Door Sets intended for use in domestic bathrooms
- Symphony 3 Panel Stacker Shower Shower Door sets are manufactured from AS/NZS2208 compliant toughened safety glass
- Symphony 3 Panel Stacker Shower Shower Door sets are not intended for use in accessible facilities

Conditions of use

- Symphony 3 Panel Stacker Shower Door Sets must be installed in accordance with applicable installation manual
- The maximum water temperature is 55° Celcius
- This product is easy to clean and impervious to water
- · Are compatible with Symphony Shower Trays and wall linings
- · Are not intended for use in accessible facilities

Supporting documentation

The following additional documentation supports the above statements:

Title (type)	Version	URL
Symphony 3 Panel Stacker Shower door Installation Instructions (Installation)		https://symphonyshowers.co.nz/installation-instructions/

Contact details

Manufacture location	Overseas
Legal and trading name of manufacturer	Please Contact Fibre Systems Ltd
Legal and trading name of importer	Fibre Systems Limited
Importer address for service	77 Cryers Road Auckland 2013
Importer website	www.symphonyshowers.co.nz
Importer NZBN	9429038358470
Importer email	sales@fibresystems.co.nz
Importer phone number	09 274 7423

Warnings and bans

Is the building product/building product line subject to warning or ban under section 26 of the Building Act 2004?

No

Appendix

BPIR Ready selections

Category: Other (custom)

Building code performance clauses

All relevant building code performance clauses listed in this document: