

Class 1

# Symphony Vida Bath Only

Product Disclosure Information Self-Assessment

Version: Symphony Vida Bath V1

<b>Product name</b>	Symphony Vida Bath Only
<b>Product line</b>	Symphony Vida Bath Only
<b>Product identifier</b>	SKU numbers FSBTHVIDA1525, FSBTHVIDA1675, FSBTHVIDA1800, and are components of all Symphony Vida Bath Sets

## Product description

- Symphony Vida Baths are either sold individually or as a component of a Stellar Bath Set
- Symphony Vida Baths are manufactured from Sanitary grade Solid Acrylic which is laminated and reinforced with Fibreglass. The Acrylic surface is easy to clean and features a Gloss Neutral white finish.
- For durability these Baths feature integrated support feet and are designed to be installed onto Solid flooring substrates such as Timber boards or Concrete. -They also feature a 15mm high Upstand around the entire perimeter of the bath to prevent water leakage when used as a shower over bath with a wet wall lining.

## Relevant building code clauses

B2 Durability — B2.3.1 (c)

F2 Hazardous building materials — F2.3.1

G1 Personal Hygiene — G1.3.2

G12 Water Supplies — G12.3.2

## Contributions to compliance

- B2.3.1(c) and B2.3.2: Symphony Vida Baths have a durability of at least 5 years when installed in accordance with installation instructions. Refer to the installation requirements for further information.
- E3.2(c) Symphony Vida Baths have been designed to inhibit Internal moisture to building elements when installed in accordance with installation instructions. Refer to the installation requirements for further information.
- E3.3.3, E3.3.4, E3.3.5, E.3.3.6 Symphony Vida Baths are made from non - porous Sanitary Grade Acrylic

First party self-assessment generated Oct 2, 2023 with BPIR Ready.

Source: <https://bpir.nz/form/view?wz=49b05e2eb859cc5d8c6a95df37336c0580456e12>

Get BPIR Ready | [bpir.nz](https://bpir.nz)

which provides an impervious and easily cleaned surface.

- F2.3.1: Symphony Vida Baths are safe when handled, and used in everyday bathing
- G1 Symphony Vida Baths are made from non - porous Sanitary Grade Acrylic

## Scope of use

- Symphony Vida Baths are designed for Domestic bathrooms. They are suitable for cold and hot water use (maximum temperature 55° C)
- Symphony Vida Baths are compatible with Standard Non - Overflow Bath Waste Outlets

## Conditions of use

- Symphony Vida Baths must be installed in accordance with installation manual "bath and wall liner"
- The maximum water temperature is 55° Celcius
- This product is easy to clean and impervious to water Is compatible with standard non-overflow bath waste outlets
- Symphony Vida Baths are not intended for use in accessible facilities

## Supporting documentation

The following additional documentation supports the above statements:

Title (type)	Version	URL
Symphony Vida Bath and Wall Liner Installation Guide (Installation)	V1	<a href="https://symphonyshowers.co.nz/installation-instructions/">https://symphonyshowers.co.nz/installation-instructions/</a>

## Contact details

<b>Manufacture location</b>	Overseas
<b>Legal and trading name of manufacturer</b>	Contact Fibre Systems Ltd
<b>Legal and trading name of importer</b>	Fibre Systems Limited
<b>Importer address for service</b>	77 Cryers Road Auckland 2013
<b>Importer website</b>	<a href="http://www.symphonyshowers.co.nz">www.symphonyshowers.co.nz</a>
<b>Importer NZBN</b>	9429038358470
<b>Importer email</b>	<a href="mailto:sales@fibresystems.co.nz">sales@fibresystems.co.nz</a>
<b>Importer phone number</b>	09 274 7423

First party self-assessment generated Oct 2, 2023 with BPIR Ready.

Source: <https://bpir.nz/form/view?wz=49b05e2eb859cc5d8c6a95df37336c0580456e12>

Get BPIR Ready | [bpir.nz](https://bpir.nz)

## Warnings and bans

Is the building product/building product line subject to warning or ban under section 26 of the Building Act 2004?

No

---

## Appendix

### BPIR Ready selections

Category: Basins, baths and bidets

	Yes	No
Integrated overflow		x
Suitable for accessible facilities		x
Integrated taps/plumbing		x

### Building code performance clauses

All relevant building code performance clauses listed in this document:

#### B2 Durability

##### B2.3.1

*Building elements* must, with only normal maintenance, continue to satisfy the performance requirements of this code for the lesser of the *specified intended life* of the *building*, if stated, or:

(c) 5 years if:

- i. the *building elements* (including services, linings, renewable protective coatings, and *fixtures*) are easy to access and replace, and
- ii. failure of those building elements to comply with the *building code* would be easily detected during normal use of the *building*.

#### F2 Hazardous building materials

##### F2.3.1

The quantities of gas, liquid, radiation or solid particles emitted by materials used in the *construction of buildings*, shall not give rise to harmful concentrations at the surface of the material where the material is exposed, or in the atmosphere of any space.

#### G1 Personal Hygiene

##### G1.3.2

*Sanitary fixtures* shall be located, constructed and installed to:

- a. facilitate *sanitation*,

- b. avoid risk of food contamination,
- c. avoid harbouring dirt or germs,
- d. provide appropriate privacy,
- e. avoid affecting occupants of adjacent spaces from the presence of unpleasant odours, accumulation of offensive matter, or other source of annoyance,
- f. allow effective cleaning,
- g. discharge to a plumbing and drainage system as required by Clause G13 Foul water when water-borne disposal is used, and
- h. provide a healthy safe disposal system when non-water-borne disposal is used.

## G12 Water Supplies

### G12.3.2

A potable *water supply system* must be—

- a. protected from contamination; and
- b. installed in a manner that avoids the likelihood of contamination within the system and the water main; and
- c. installed using components that will not contaminate the water.

Class 1

# Symphony Single Panel and 2 Panel Bath Screens

Product Disclosure Information Self-Assessment

Version: Symphony Single and 2 Panel Bath Screens v1

<b>Product name</b>	Symphony Single Panel and 2 Panel Bath Screens
<b>Product line</b>	Symphony Single Panel and 2 Panel Bath Screens
<b>Product identifier</b>	Symphony Single Panel and 2 Panel Bath Screens are sold as a component of Symphony Vida Bath Sets, and are sold as individual components under the following codes. Single Panel = BC850WHSP, BC850SISp, BC850SI15, BC850BL15 2 Panel = BC1000SI, BC1000BL

## Product description

- Symphony Bath Screens are manufactured from 6mm toughened safety glass which conforms to AS/NZS2208 standard.
- Symphony Bath Screens are available in single panel and 2 panel Pivot configurations.
- Symphony Single Panel bath screens pivot from a wall mounted hinge up to 90 degrees outwards and 90 degrees inwards of the pivot point.
- Symphony 2 Panel Stellar bath screens feature a fixed panel of glass, and a hinged panel of glass which pivots up to 180 degree INTO the bath.
- Symphony Bath Screens include components made from high quality corrosion resistant alloy.
- Symphony Bath Screens and components are designed to be easily cleaned, with silicone application required only in external areas of the shower

## Relevant building code clauses

### Contributions to compliance

- B2.3.1(c) and B2.3.2: Symphony Bath Screens have a durability of at least 5 years when installed in accordance with installation instructions. Refer to the installation requirements for further information.
- E3.2(c) Symphony Bath Screens have been designed to inhibit Internal moisture to building elements when installed in accordance with installation instructions. Refer to the installation requirements for further information.
- E3.3.5, E3.3.6 Symphony Bath Screens are constructed from water impervious material which can be easily cleaned and maintained.
- F2.3.1 Symphony Bath Screens are safe when handled and used in everyday showering.
- F2.3.3 Symphony Bath Screens are manufactured from 6mm Toughened safety glass which conforms to

First party self-assessment generated Oct 11, 2023 with BPIR Ready.

Source: <https://bpir.nz/form/view?wz=6aebe958afd68ed1d577a675ce76ef6b1c52225a>

Get BPIR Ready | [bpir.nz](https://bpir.nz)

## Scope of use

- Symphony Bath Screens are intended for use in domestic bathrooms
- Symphony Bath Screens sets are manufactured from AS/NZS2208 compliant toughened safety glass
- Symphony Bath Screens are not intended for use in accessible facilities

## Conditions of use

- Symphony Bath Screens must be installed in accordance with applicable installation manual
- The maximum water temperature is 55° Celcius
- This product is easy to clean and impervious to water
- Are compatible with Symphony Baths and Wall Linings
- Are not intended for use in accessible facilities

## Supporting documentation

The following additional documentation supports the above statements:

Title (type)	Version	URL
Symphony Bath Single Panel Bath Screen Installation Instructions (Installation)	v1	<a href="https://symphonyshowers.co.nz/installation-instructions/">https://symphonyshowers.co.nz/installation-instructions/</a>
Symphony Bath 2 Panel Bath Screen Installation Instructions (Installation)	v1	<a href="https://symphonyshowers.co.nz/installation-instructions/">https://symphonyshowers.co.nz/installation-instructions/</a>

## Contact details

<b>Manufacture location</b>	Overseas
<b>Legal and trading name of manufacturer</b>	Contact Fibre Systems Ltd
<b>Legal and trading name of importer</b>	Fibre Systems Limited
<b>Importer address for service</b>	77 Cryers Road Auckland 2013
<b>Importer website</b>	<a href="http://www.symphonyshowers.co.nz">www.symphonyshowers.co.nz</a>
<b>Importer NZBN</b>	9429038358470
<b>Importer email</b>	<a href="mailto:sales@fibresystems.co.nz">sales@fibresystems.co.nz</a>
<b>Importer phone number</b>	09 274 7423

## Warnings and bans

Is the building product/building product line subject to warning or ban under section 26 of the Building Act 2004?

No

---

## Appendix

### BPIR Ready selections

Category: Other (custom)

### Building code performance clauses

All relevant building code performance clauses listed in this document: